

INDEX TO VOLUME XXII

INDEX TO AUTHORS, WITH TITLES

- Altschul, Siri von Reis. See Raffauf and Altschul 267
 ———. Unusual food plants in herbarium records 293
 Ba-Amer, Mohamed Awdh, and W. P. Bemis. Fruit and seed development in *Cucurbita foetidissima* 297
 Baldwin, J. T., Jr. David B. Riker and *Hevea brasiliensis* 383
 Bemis, W. P. See Ba-Amer and Bemis 297
 Boe, A. A., J. Y. Do, and D. K. Salunkhe. Tomato ripening: effects of light frequency, magnetic field, and chemical treatments 124
 Boyd, Claude E. Fresh-water plants: a potential source of protein 359
 Cantor, Sidney M., and George E. Shaffer, Jr. New protein foods from plant sources: a system for economic evaluation 29
 Chock, Alvin K. Hawaiian ethnobotanical studies I. Native food and beverage plants 221
 Do, J. Y. See Boe et al. 124
 Dobkin, Marlene. *Trichocereus pachanoi*—a mescaline cactus used in folk healing in Peru 191
 Fox, J. E. D. *Didelotia idae* in the Gola Forest, Sierra Leone 338
 Frondel Judith W. Amber facts and fancies 371
 Gaertner, Erika E. Additions to the list of wild edible plants preservable by the deep freeze method 369
 Galil, J. An ancient technique for ripening sycamore fruit in east-Mediterranean countries 178
 Garvin, J. W. See Soderholm et al. 80
 Gaskins, M. H. See Soderholm et al. 80
 Gelmond, Haya, J. Nitsan and Ahuva Sharir. Germination studies of *Molucella laevis* 281
 Goldblatt, L. A. Aflatoxin and its control 51
 Green, V. E., Jr. See Soderholm et al. 80
 Harper, Garlón A., and Keith J. Smith. Status of cottonseed protein 63
 Inglett, G. E., and Joann F. May. Tropical plants with unusual taste properties 326
 Johnson, V. A., J. W. Schmidt, and P. J. Wattern. Cereal breeding for better protein impact 16
 Kerr, Thomas. See Smith and Kerr 354
 Knowles, P. F. Associations of high levels of oleic acid in the seed oil of safflower (*Carthamus tinctorius*) with other plant and seed characteristics 195
 Krikorian, A. D. The psychedelic properties of banana peel: an appraisal 385
 Krochmal, Arnold. Medicinal plants and Appalachia 332
 Krome, William H. Economic view of lime-growing in Florida 270
 Lamb, F. Bruce. Mahogany name controversy 84
 Leng, Earl R. Soybeans—potential for extension to areas of protein shortage 37
 Li, H. L., and J. J. Willaman. Distribution of alkaloids in angiosperm phylogeny 239
 Margetts, Edward L. Miraa and myrrh in East Africa—clinical notes about *Catha edulis*; corrigenda 123
 Mateles, R. I., and S. R. Tannenbaum. Single-cell protein 42
 May, Joann F. See Inglett and May 326
 McGandy, Robert B. Fortification of cereals with amino acids 26
 Mickelsen, O. See Yang and Mickelsen 149
 Milner, Max. An introduction to the protein problem 3
 Morton, Julia F. The calabash (*Crescentia cujete*) in folk medicine 273
 ———. A survey of medicinal plants of Curacao 87
 Neher, Robert Trostle. The ethnobotany of *Tagetes* 317
 Nitsan, J. See Gelmond et al. 281
 Osborn, Dale J. Notes on medicinal and other uses of plants in Egypt 165
 Patiño, Victor Manuel. Guayusa, a neglected stimulant from the eastern Andean foothills 310
 Perdue, Robert E., Jr. "African" baskets in South Carolina 289
 Persinos, Georgia J., and Maynard W. Quimby. Studies on Nigerian plants V. Comparative anatomy of *Lophira lanceolata* and *Lophira alata* 206
 Price, Sam. Cytology of Chinese and North Indian sugarcane 155
 Quimby, Maynard W. See Persinos and Quimby 206
 Raffauf, Robert F., and Siri von Reis Altschul. The detection of alkaloids in herbarium material 267
 Salunkhe, D. K. See Boe et al. 124
 Schmidt, J. W. See Johnson et al. 16
 Seale, C. C. See Soderholm et al. 80
 Shaffer, George E., Jr. See Cantor and Shaffer 29
 Sharir, Ahuva. See Gelmond et al. 281

- Smith, C. Earle, Jr. Archeological evidence for selection of chupandilla and cosahuico under cultivation in Mexico 140
 ———. The new world centers of origin of cultivated plants and the archaeological evidence 253
 ———, and Thomas Kerr. Pre-conquest plant fibers from the Tehuacán Valley, Mexico 354
 Smith, Keith J. See Harper and Smith 63
 Soderholm, P. K., M. H. Gaskins, V. E. Green, Jr., G. A. White, J. W. Garvin, and C. C. Seale. Yield trials of steroid-producing *Dioscorea* on Florida's everglades peat soils 80
 Stahmann, Mark A. The potential for protein production from green plants 73
 Tannenbaum, S. R. See Mateles and Tannenbaum 42
 Ugent, Donald. The potato in Mexico: geography and primitive culture 108
 Wattern, P. J. See Johnson et al. 16
 West, Quentin M. Outlook for calorie production 8
 White, G. A. See Soderholm et al. 80
 Wilkes, H. Garrison. Interesting beverages of the eastern Himalayas 347
 Willaman, J. J. See Li and Willaman 239
 Yang, M. G. and O. Mickelsen. Cycad husk from Guam: its toxicity to rats 149
 Youngman, Vern E. Lentils—a pulse of the Palouse 135

INDEX TO REVIEWS AND NOTICES

- American Society of Pharmacognosy; announcement inside back cover No. 2
 Barton, Lela V. Bibliography of seeds; review 304
 Baskin, Esther. The poppy and other deadly plants; review 103
 Bourrelly, P. Les algues d'eau douce, initiation a la systematique. Vol. 1. Les algues vertes; review 307
 Brightman, F. H. The Oxford book of flowerless plants; review 202
 Corrigenda: Miraa and myrrh in East Africa—clinical notes about *Catha edulis* 123
 Council of Scientific and Industrial Research, New Delhi. The wealth of India; raw materials, Vol. 7; review 104
 Coursey, D. G. Yams; review 304
 Cragg, J. B. (ed.). Advances in ecological research; review 304
 Darlington, C. D., and K. R. Lewis (ed.) Chromosomes today; review 390
 Duke, James A. Darien ethnobotanical dictionary; review 303
 Efron, D. H. (ed.). The ethnopharmacologic search for psychoactive drugs; review 203
 Fah, A. Plant anatomy; review 307
 Gaertner, Erika E. Harvest without planting. Eating and nibbling off the land; review 308
 Gray, Peter. The dictionary of the biological sciences; review 203
 Grieve, M. A modern herbal; review 204
 Heywood, V. H. Plant taxonomy; review 390
 Hoffer, A., and H. Osmond. The hallucinogens; review 300
 Hotchkiss, Neil. Underwater and floating-leaved plants of the United States and Canada; review 390
 Indian Council of Agricultural Research. Wheat; review 304
 Johnston, Gordon Stuart. Manifestations of teosinte and "Tripsacum" introgression in Corn Belt maize; review 305
 Mirov, N. T. The genus Pinus; review 301
 Mohlenbrock, Robert H. Illustrated flora of Illinois. Ferns; review 307
 Morley, Thomas. Spring flora of Minnesota; review 204
 Mors, Walter B., and Carlos T. Rizzini. Useful plants of Brazil; review 302
 News of The Society for Economic Botany 1, 105, 205, 309
 Nutrition in non-literate areas; notice 2
 Parsons, Mary Elizabeth. The wild flowers of California; review 103
 Publication of 20-Year Index to Economic Botany; notice 2
 Riley, Ralph, and K. R. Lewis (ed.). Chromosome manipulations in plant genetics; review 302
 Schültze-Motel, Jürgen. Verzeichnis Forstlich Kultivierter Pflanzenarten; review 104
 Stakman, E. C., Richard Bradfield, and Paul C. Mangelsdorf. Campaigns against hunger; review 201
 Strabo, Walahfrid. Hortulus; review 103
 Troll, Wilhelm. Vergleichende Morphologie der Höheren Pflanzen. Band I: Vegetationsorgane. Teil 3: Wurzel und Wurzelsysteme; review 391
 Usdin, Earl, and Daniel H. Efron. Psychotropic drugs and related compounds; review 302
 Zepernick, Bernard. Pflanzen zur Farbstoffgewinnung in Polynesien; review 303

INDEX TO GENERIC AND SPECIFIC NAMES

- Abies religiosa* 111
Abrus precatorius 330
Acacia 98; *nilotica* 173; *villosa* 98
Acer spicatum 332
Achillea millefolium 332
Aconitum 335
Acorus calamus 332
Adenaria 268
Adiantum capillus-veneris 332; *pedatum* 332
Aesculus hippocastanum 332
Agave 354-358, f355; *americana* 253
Agrostis 111
Aizoon canariense 175, f175
Alectryon macrocoelus 228, 233, 235; *mahoe* 228, 233, 235
Aletris farinosa 333
Alnus serrulata 333
Alocasia macrorrhiza 223
Aloe barbadensis 95, 276, f278
Alternanthera philoxeroides 360-366
Alzatea 268
Amanita mappa 388; *muscaria* 388
Amaranthus hybridus 333
Ammania 268
Anadenanthera peregrina 388
Andropogon proximus 176
Angelica atropurpurea 333
Anisophyllea laurina 346
Annona glabra 93, 100; *muricata* 96, 97; *squamosa* 99
Aplectrum hyemale 333
Apocynum androsaemifolium 333; *cannabinum* 333
Arachis hypogaea 254-256, 261
Aralia nudicaulis 333; *racemosa* 333
Arctium 333; *minus* 333
Arisaema triphyllum 333
Aristolochia serpentaria 333
Artemisia judaica 165, f166
Arundinaria 292
Asarum canadense 333
Asclepias acide 352; *syriaca* 333, 370; *tuberosa* 333
Aspergillus flavus 51; *niger*, 51; *parasiticus* 51; *ruber* 51; *versicolor* 52; *wentii* 51
Athyrium arnottii 225; *baldwinii* 225; *meyenianum* 225, 233, 235; *microphyllum* 225, 233, 235; *poiretianum* 225

Bacillus 46; *megaterium* 44, 49
Balanites aegyptiaca 171, f172, 330
Banisteriopsis 311
Baptisia tinctoria 333
Berberis vulgaris 333
Berlinia 344, 346; *confusa* 343-346
Betula lenta 333
Bidens 222, 232-234; *cosmoides* 232
Bixa orellana 321
Boehmeria f355, 358
Brachystegia 342; *leonensis* 338, 342
Brasenia schreberi 361, 364
Brassica campestris 111
Bridelia grandis 340

Brighamia 222
Burckella 295; *cocoea* 295
Bursera bipinnata 381

Cabomba caroliniana 364
Cajanus indicus 98
Calotropis procera 169
Calpocalyx brevibracteatus 340, 343
Campylothea 232
Canarium salomonense 295
Candida tropicalis 43
Capparis cartilaginea 173, f174; *galeata* 173; *spinosa* 169, 173
Capra ibex 173
Capraria biflora 93
Capsicum 256; *annuum* 254, 255, 259; *frutescens* 254, 255, 259; *var baccatum* 255; *var grossum* 388; *sinense* 259
Carpodinus dulcis 330
Carpolobia lutea 330
Carthamus tinctorius 195-199
Cassia italica 171, f172; *obovata* 173
Castanopsis namdinhensis 295
Castilleja 111
Catha edulis 335
Caulophyllum thalictroides 333
Ceanothus americanus 333
Ceiba 358; *parvifolia* f355, 356; *pentandra* 340
Centaurium pulchellum 169, f170; *spicatum* 169
Ceratophyllum demersum 361, 364, 365
Chamaelirium luteum 333
Chara 364, 365
Chelone glabra 333
Chenopodium ambrosioides 333; *oahuense* 227, 233, 235; *pekeloi* 227, 233, 235; *sandwicheum* 227
Chimaphila umbellata 333
Chionanthus virginicus 333
Chlorella 48
Chlorophyta 222
Cibotium chamissoi 225, 233-235; *glaucum* 224, 233-235; *hawaiense* 225; *lauii* 224; *nealae* 224; *st. johnii* 224; *splendens* 224, 233-235; *subsp hawaiense* 225, 233
Cimicifuga americana 333; *racemosa* 333
Cissus populnea 330
Citrullus colocynthis 167
Citrus aurantifolia 270; *aurantium* 96, 97
Cleome droserifolia 173, f174
Clermontia 231-235; *arborescens* 231, 234; *gaudichaudii* 231, 233; *hawaiiensis* 231, 234; *macrocarpa* 231
Cnicus benedictus 333
Coleus amboinicus 101
Collinsonia canadensis 333
Colocasia esculenta *var antiquorum* 222
Colocynthis vulgaris f166, 167, 169
Commelina 111
Comptonia peregrina 333

- Convolvulus batatas* 254
Corallorhiza 333
Cordia abyssinica 330; *alba*, 88, 94; *cylindrostachya* f91, 94, 97, 100
Cordylone terminalis 223
Craterispermum laurinum 330
Crenaea 268
Crescentia alata 275; *cujete* 93-97, 273-280, f277
Croton flavens f90, 93-97, 278
Cryptosepalum 342, 346; *tetraphyllum* 338, 343, 345
Cucifera thebaica 176
Cucumis anguria 91
Cucurbita 264, 297; *ficifolia* 257; *foetidissima* 297-299; *maxima* 254-256, 262, 264; *melo*pepo 254; *moschata* 254-256, 261-264; *pepo* 254-256, 261-264
Cuphea 268, 269
Cyanea 231-234; *angustifolia* 231, 235; *rolland-ioides* 231-235; *tritomantha* 232-235
Cyanophyta 222
Cycas circinalis 149, f150, 153
Cyclosorus cyatheoides 225; *sandwicensis* 226
Cymbopogon citratus 97; *proximus* 176, f176
Cynometra 342; *leonensis* 338, 343-346
Cyperus esculentus 330
Cyphomandra 295; *splendens* 295
Cypripedium calceolus 333
Cyrtandra 222
Cyrtocarpa procera 140, 145, 148
- Daemia cordata* 169
Datura 311; *arborea* 191; *stramonium* 333, 385
Daucus carota 388
Decodon 268, 269; *verticillatus* 268
Dialium aubrevillei 340
Didelotia 338-346; *afzeli* 338; *idae* 338-346
Digitalis purpurea 332
Dioscorea 80-83, 334; *composita* 80-83; *floribunda* 80; *pentaphylla* 236; *spiculiflora* 80-82; *villosa* 333
Dioscoreophyllum cumminsii 329, f330
Diospyros 340; *ferrea* subsp. *sandwicensis* 229, 233, 235; *hillebrandii* 229, 233, 235
Diplazium arnottii 225; *meysenianum* 225
Diplusodon 268; *erulsianus* 268
Dissochondrus 222
Doryalis afzelii 330
Dryopteris cyatheoides 225; *keraudreniana* 225, 233-235; *sandwicensis* 226; *stegnogrammoides* 226
- Echinacea purpurea* 333
Eichornia crassipes 359
Eleocharis acicularis 364
Eleusine 350; *coracana* 351
Elodea canadensis 365; *densa* 361, 364
Elytraria imbricata 94
Enantia 340
Erodium cicutarium 111
Eryngium 111; *aquaticum* 333
Erythraea ramosissima 169; *spicata* 169
Erythrophleum 344; *ivorense* 342, 343
- Eugenia malaccensis* 223; *sandwicensis* 223, 228, 233-235
Euonymus atropurpureus 333
Eupatorium perfoliatum 333; *purpureum* 333
Euphorbia 111
- Fagara macrophylla* 340
Festuca 111
Ficus 182; *sycomorus* 178, 189
Flavobacterium aurantiacum 58
Fragaria chiloensis var. *sandwicensis* 227, 234, 235; *virginiana* 333
Fraxinus americana 333
Freyinetia arborea 232-235
- Galium aparine* 333
Galpinia 268
Gaultheria procumbens 333
Gaylussacia frondosa 333
Gelsemium sempervirens 333
Gentiana villosa 333
Geranium maculatum 333
Ginoria 268, 269
Gliricidia sepium 96, 99, 278
Glycine max 37
Gnaphalium 111
Glycyrrhiza glabra 332
Gossypium 256, 354; *barbadense* 254, 255, 260; *hirsutum* 94, 260, 354
Grislea 268
Guaiacum officinale 276
- Haitia* 268, 269
Hamamelis virginiana 333
Hedeoma pulegioides 333
Heimerliodendron 222
Heimia 268, 269; *myrtifolia* 268; *salicifolia* 268
Heliotropium 94; *angiospermum* 93, 94; *anomalum* var. *argenteum* 222, 230, 233, 234; *curassavicum* 230, 233-235
Hepatica acutiloba 333
Heteranthera dubia 365
Hevea 383; *brasiliensis* 383, 384
Hierochloa odorata 292
Hillebrandia 222
Hippomane mancinella 95, 276
Hydrangea 388; *arborescens* 333
Hydrastis canadensis 333
Hydrochloa carolinensis 364
Hydrocotyle 361
Hydrodictyon reticulatum 361, 364
Hydrolea quadrivalvis 364
Hydrotrida caroliniana 364
Hyoscyamus 335; *muticus* 167
Hyphaene thebaica 176, f176
Hyptis suaveolens f92, 95, 96
- Ilex* 315; *guayusa* 310, 315; *nitida* 315; *paraguariensis* 275, f276, 310-315; *tarapotina* 315; *vomitaria* 313, 315; var. *chiapensis* 315; *yunnanensis* 315
Ipomoea batatas 109, 254-256, 262; *cairiea* 230, 233-235; *palmata* 230; *pes-caprae* var. *brasiliense* 230, 234, 235; *tuberculata* 230; *violacea* 385

- Jaquemontia sandwicensis* 230, 233-235
Jatropha 259; *gossypifolia* 93, 96, 98, 278
Jeffersonia diphylla 333
Juglans cinerea 333; *nigra* 333
Juniperus communis 333; *virginiana* 333
Jussiaea decurrens 361, 364; *diffusa* 364; *peruviana* 361, 364
Justicia americana 360-367

Klainedoxa 342; *gabonensis* 342-346
Krameria ixina 95, 96, 99, f101; *triandra* 96

Lactuca sativa 388; *scariola* 333
Lafoensia 268; *pecari* 268
Lagenaria siceraria 256, 257, 273; *vulgaris* 273
Lagerstroemia 268, 269; *speciosa* 268
Landolphia dulcis 330
Launaea capitata 167; *glomerata* 167
Lawsonia 268, 269; *alba* 268; *inermis* 268
Lecaniodiscus cupanioides 330
Lemaireocereus griseus f274
Lemna minor 365
Lens esculenta 135; *var afghanica* 135; *var macrocarpa* 135; *var syrica* 135; *kotschyana* 135; *lenticula* 135; *nigricans* 135; *orientalis* 135
Leonurus cardiaca 333
Lindera benzoin 333
Lippia alba 97, 101; *graveolens* 97
Liquidambar styraciflua 333
Lobelia 335, 336; *inflata* 333, 335
Lophira 206, 208, 214, 342; *alata* 206-220, f208, f209, f210, f211, f212, f214, f216, f218, f219, 338, 342-344; *lanceolata* 206-220, f207, f208, f209, f210, f212, f213, f215, f217, f219; *procera* 206
Lophophora williamsii 385
Lycopersicon esculentum 254-256, 263
Lycopodium 191
Lycopus virginicus 333
Lyngbya 364, 365
Lythrum 268, 269

Maba hillebrandii 229; *sandwicensis* 229
Maesobotrya barteri 330
Malva parviflora 169
Malvastrum spicatum 97
Mangifera indica 98
Manihot 259; *dulcis* 259; *esculenta* 254-256, 259; *utilissima* 254, 255
Marattia douglasii 224, 234
Marrubium vulgare 333
Menispermum canadense 333
Mentha piperita 333
Mentzelia aspera 96, 100, f100
Metrosideros collina subsp. *polymorpha* 223
Mitella repens 333
Mitragyna ciliata 330
Molucella laevis 281-288
Monarda didyma 333
Morinda sandwicensis 231, 234, 235; *trimera* 231, 234, 235
Moringa aptera 173; *arabica* 173; *peregrina* 173, f173

Mucor 352
Muhlenbergia 111
Musa acuminata 388; *sapientum* 385
Myrcia 275
Myrica cerifera 333
Myriophyllum brasiliense 361, 364; *heterophyllum* 364, 365; *spicatum* 364, 365
Myristica fragrans 385

Najas flexilis 365; *quadalupensis* 361, 364, 367
Nauclea diderrichii 343-346; *vanderguchtii* 343, 345
Nelumbo lutea 361, 364, 365
Nepeta cataria 333
Nesaea 268, 269
Newtonia aubrevilei 343; *duparquetiana* 343
Nicotiana 263; *otophora* 263; *rustica* 263; *sylvestria* 263; *tabacum* 254-256, 262
Nitella 364
Nitraria retusa 171; *tridentata* 171
Nothoecstrum breviflorum 230, 233, 235; *latifolium* 231-235; *longifolium* 231-235; *peltatum* 231-235; *subcordatum* 221-235
Nuphar advena 361, 364-367
Nymphaea advena 365; *odorata* 360-366
Nymphoides aquaticum 361, 364

Ochna 206
Ocimum sanctum 99
Oedogonium 364
Oenothera biennis 369; *laciniata* var. *pubescens* 111
Oldfieldia africana 338, 343
Orias 268
Origanum 97
Orontium aquaticum 360-364
Osteomeles anthyllidifolia 227, 233-235
Ouratea 206
Oxalis 111

Pachypodanthum staudtii 346
Panax 335; *quinquefolium* 333
Pandanus odoratissimus 232; *tectorius* 232; *var sandwicensis* 232-235
Panicum turgidum 176, f177
Parinari 340, 343
Passiflora foetida var. *moritziana* f92, 95, 100; *incarnata* 333
Paullinia sorbilis 315; *yoco* 314
Pehria 268
Pemphis 268
Penicillium 51; *citrinum* 51; *frequentans* 51; *notatum* 43; *puberulum* 51; *variable* 51
Peplis 268
Pergularia tomentosa 169, f170
Persea americana 254-257; *var drymifolia* 258; *gratissima* 254
Phacelia 111
Phaeophyta 222
Phaseolus lunatus 254-258; *vulgaris* 254-258
Phoenix dactylifera 175
Phyllanthus emblica 330
Physocalymma 268; *scaberrimum* 268
Phytolacca americana 333
Phytophthora infestans 118

- Picea* 379, 380; *glauca* 370; *pungens* 380
Pimpinella schweinfurthii 169
Pinus 111, 379, 380; *banksiana* 370; *caribaea* 381; *cembra* 380; *monophylla* 381; *oocarpa* 381; *palustris* 290, 333; *strobis* 333, 370; *sylvestris* 380
Piper methysticum 335
Piptadenia peregrina 388
Pithophora 361, 364, 365
Plantago 333; *ciliata* 167
Pleurophora 268
Podophyllum peltatum 333
Polyalthia 340
Polygala senega 333
Polygonatum biflorum 333
Polygonum 361; *hydropiper* 333; *hydro-piperoides* 364; *pennsylvanicum* 364; *sagittatum* 364
Populus tacamahacca 333
Porophyllum macrocephalum f88, 94, 95, 100
Potamogeton 365; *crispus* 364; *diversifolius* 364; *nodosus* 364
Pratylenchus pratensis 321
Pritchardia 232-235; *guadichaudii* 232, 233; *hillebrandii* 232, 233
Protium heptaphyllum 381; *icicariba* 381
Protomegaboria stapfiana 343
Prunella vulgaris 333
Prunus serotina 333
Psidium guajava 254-256, 260
Psilocybe mexicana 385
Psilotum complanatum f *fosbergii* 224, 233, 234; *nudum* 224, 233, 234; *triquetrum* 234
Puccinia recondita 20
Pulicaria undulata 165
Pyrus americana 333

Quercus 333

Radicula nasturtium-aquaticum 333
Rhizobia 40
Rhizoclonium 364
Rhodophyta 222
Rhus glabra 333; *oxycantha* 171; *oxycanthoides* 171
Rockia 222
Rotala 268, 269; *ramosior* 268
Rubus hawaiiensis 227, 233, 235; *maeraci* 228, 233, 235; *urticaefolius* 295
Rumex acetosa 369; *acetosella* 111, 369; *crispus* 333

Saccharomyces fragilis 46
Saccharum barberi 155; *officinatum* 155, 156, 161; *sinense* 155, 157, 161-163; *spontanum* 155, 161
Saccoglottis 275, 342; *gabonensis* 342, 343
Sadleria cyatheoides 226, 233-235; *fauriei* 226, 233-235; *pallida* 226, 233-235; *polystichoides* 226; *rigida* 226, 233-235; *souleyetiana* 226, 233-235; f *brevisora* 226, 233; *squarrosa* 226, 233, 235; *unisora* 226
Sagittaria latifolia 360-364
Salix alba 333; *nigra* 333
Salvadora persica 171, f171

Salvia 295; *hispanica* 295; *officinalis* 333; *prunelloides* 111
Salvinia rotundifolia 365
Sanguinaria canadensis 333
Sarcostemma viminalis 352
Sassafras albidum 333
Saururus cernuus 364
Scenedesmus 48
Serophularia marilandica 333
Seutellaria lateriflora 333
Senecio aureus 333
Serenoa repens 290
Setaria 263; *macrostachya* 263
Sideroxylon tempisque 140, 146, 148
Siparuna 315; *eggersii* 315
Smilax sandwicensis 232-235
Solanum seet Tuberarium 110, 111; *acaule* 117; *carolinense* 333; *curtisobum* 117; *demissum* 116-119; *edinese* 111-117; *juzepczukii* 117; *stoloniferum* 110; *tuberosum* 108-119; *verrucosum* 110
Solenostemma argel f128, 169
Sonchus 369; *uliginosus* 369
Sophora chrysophylla 222
Sparganium americanum 364
Sphenocentrum jollyanum 327
Spigelia marilandica 333
Spirogyra 361, 364
Spirulina 48; *maxima* 43, 48
Sporobolus gracilis 290
Stachys eriantha 111
Stellaria media 333
Stevia rebaudiana 226
Stillingia sylvatica 333
Stipa 111
Styrax benzoin 379, 380
Swietenia 84, 85
Sylvilagus audubonii 356
Syncepalum dulcificum 326, f327, 328
Syzygium oahuense 228; *sandwicensis* 228

Tacca leontopetaloides 236
Tagetes 317-325; *anisata* 219; *campanulata* 318; *congesta* 319; *erecta* 317-324, f322; *filifolia* 319; *lemmonii* 324; *lucida* 317-323; *micrantha* 319; *minuta* 320, 322; *multifida* 319; *patula* 320-322, f322; *pusilla* 319; *rupestris* 321; *subulata* 321; *tenuifolia* 321; *terniflora* 321
Tanacetum vulgare 333
Tarrietia 338-346; *utilis* 338, 342-345
Tephrosia virginiana 333
Tetralerlinia tubmanniana 338
Tetrahymena pyriformis 58
Tetrataxis 269
Teucrium pilosum 169, 173
Thaumatococcus daniellii f328, 328, f329
Thelypteris cyatheoides 225, 233-235; var *depauperatum* 225, 233; *stegnogrammoides* 226, 233, 235
Tiarella cordifolia 333
Tieghemella heckelii 338, 346
Tournefortia 222
Tournefortia gnaphalodes 99
Tribulus cistoides 94

- Trichocereus pachanoi* 191-194
Trifolium pratense 333
Trilisa odoratissima 333
Trillium erectum 333
Tsuga canadensis 333
Typha latifolia 364-367

Uapaca heudelotii 330; *staudtii* 330
Ulmus rubra 334
Uvaria confertiflora 295

Vaccinum berberidifolium 228, 234, 235; *calycinum* 229, 234, 235; *dentatum* 229, 234, 235; *pahalae* 229, 234, 235; *peleanum* 9, 234, 235; *reticulatum* 228, 234, 235
Valeriana 111
Vallisneria spiralis 365
Veratrum viride 234

Verbascum thapsus 334
Verbena hastata 334
Veronicastrum virginicum 334
Viburnum nudum 334; *prunifolium* 334

Waltheria americana 228, 233, 234
Woodfordia 268, 269; *fruticosa* 268; *uniflora* 268

Xanthorhiza simplissima 334
Xanthoxylum americanum 334
Xylia 342, 344; *evansii* 342-346
Xylopia 340

Zea mays 254-256, 260; *gr amylacea* 255
Zinnia linearis 322
Zizyphus mauritiana 330



ECONOMIC BOTANY

Devoted to Applied Botany and Plant Utilization

Founded by
Edmund H. Fulling

Publication of The Society for Economic Botany

VOLUME XXII

1968

Published for The Society

by

THE NEW YORK BOTANICAL GARDEN

Printed by
Monumental Printing Company
Baltimore, Maryland



TABLE OF CONTENTS

NO. 1, JANUARY-MARCH

News of The Society for Economic Botany	1
Notice—Publication of 20-Year Index to Economic Botany	2
Notice—Nutrition in Non-Literate Areas	2
An Introduction to the Protein Problem	Max Milner 3
Outlook for Calorie Production	Quentin M. West 8
Cereal Breeding for Better Protein Impact	
V. A. Johnson, J. W. Schmidt, and P. J. Wattern	16
Fortification of Cereals with Amino Acids	Robert B. McGandy 26
New Protein Foods from Plant Sources: A System for Economic Evaluation	Sidney M. Cantor and George E. Shaffer, Jr. 29
Soybeans—Potential for Extension to Areas of Protein Shortage	Earl R. Leng 37
Single-cell Protein	R. I. Mateles and S. R. Tannenbaum 42
Aflatoxin and Its Control	L. A. Goldblatt 51
Status of Cottonseed Protein	Garlon A. Harper and Keith J. Smith 63
The Potential for Protein Production from Green Plants	Mark A. Stahmann 73
Yield Trials of Steroid-producing <i>Dioscorea</i> on Florida's Everglades Peat Soils	P. K. Soderholm, M. H. Gaskins, V. E. Green, Jr., G. A. White, J. W. Garvin, and C. C. Seale 80
Mahogany Name Controversy	F. Bruce Lamb 84
A Survey of Medicinal Plants of Curacao	Julia F. Morton 87
Book Reviews	103

NO. 2, APRIL-JUNE

News of The Society for Economic Botany	105
The Potato in Mexico: Geography and Primitive Culture	Donald Ugent 108
Tomato Ripening: Effect of Light Frequency, Magnetic Field, and Chemical Treatments	A. A. Boe, J. Y. Do, and D. K. Salunkhe 124
Lentils—A Pulse of the Palouse	Vern E. Youngman 135
Archeological Evidence for Selection of Chupandilla and Cosahuico under Cultivation in Mexico	C. Earle Smith, Jr. 140
Cycad Husk from Guam: Its Toxicity to Rats	M. G. Yang and O. Mickelsen 149
Cytology of Chinese and North Indian Sugarcanes	Sam Price 155
Notes on Medicinal and Other Uses of Plants in Egypt	Dale J. Osborn 165
An Ancient Technique for Ripening Sycomore Fruit in East-Mediterranean Countries	J. Galil 178
<i>Trichocereus pachanoi</i> —A Mescaline Cactus Used in Folk Healing in Peru	Marlene Dobkin 191
Associations of High Levels of Oleic Acid in the Seed Oil of Safflower (<i>Carthamus tinctorius</i>) with Other Plant and Seed Characteristics	P. F. Knowles 195
Book Reviews	201
News Announcement—The American Society of Pharmacognosy	Inside Back Cover

TABLE OF CONTENTS, VOLUME 22, 1968

No. 3, JULY-SEPTEMBER

News of The Society for Economic Botany	205
Studies on Nigerian Plants V. Comparative Anatomy of <i>Lophira lanceolata</i> and <i>Lophira alata</i>	Georgia J. Persinos and Maynard W. Quimby 206
Hawaiian Ethnobotanical Studies I. Native Food and Beverage Plants	Alvin K. Chock 221
Distribution of Alkaloids in Angiosperm Phylogeny	H. L. Li and J. J. Willaman 239
The New World Centers of Origin of Cultivated Plants and the Archaeological Evidence	C. Earle Smith, Jr. 253
The Detection of Alkaloids in Herbarium Material	Robert F. Raffauf and Siri von Reis Altschul 267
Economic View of Lime-growing in Florida	William H. Krome 270
The Calabash (<i>Crescentia cujete</i>) in Folk Medicine	Julia F. Morton 273
Germination Studies of <i>Molucella laevis</i>	Haya Gelmond, J. Nitsan, and Ahuva Sharir 281
"African" Baskets in South Carolina	Robert E. Perdue, Jr. 289
Unusual Food Plants in Herbarium Records	Siri von Reis Altschul 293
Fruit and Seed Development in <i>Cucurbita foetidissima</i>	Mohamed Awdh Ba-Amer and W. P. Bemis 297
Book Reviews	300

No. 4, OCTOBER-DECEMBER

News of The Society for Economic Botany	309
Guayusa, a Neglected Stimulant from the Eastern Andean Foothills	Victor Manuel Patiño 310
The Ethnobotany of <i>Tagetes</i>	Robert Trostle Neher 317
Tropical Plants with Unusual Taste Properties	G. E. Inglett and Joann F. May 326
Medicinal Plants and Appalachia	Arnold Krochmal 332
<i>Didelotia idae</i> in the Gola Forest, Sierra Leone	J. E. D. Fox 338
Interesting Beverages of the Eastern Himalayas	H. Garrison Wilkes 347
Pre-conquest Plant Fibers from the Tehuacán Valley, Mexico	C. Earle Smith and Thomas Kerr 354
Fresh-water Plants: a Potential Source of Protein	Claude E. Boyd 359
Additions to the List of Wild Edible Plants Preservable by the Deep Freeze Method	Erika E. Gaertner 369
Amber Facts and Fancies	Judith W. Frondel 371
David B. Riker and <i>Hevea brasiliensis</i>	J. T. Baldwin, Jr. 383
The Psychedelic Properties of Banana Peel: an Appraisal	A. D. Krikorian 385
Book Reviews	390
Index to Volume 22	393

